

Middlesex University Research Repository

An open access repository of

Middlesex University research

<http://eprints.mdx.ac.uk>

Purchase, Diane ORCID logoORCID: <https://orcid.org/0000-0001-8071-4385> (2017) Electronic waste – an emerging global environmental and health challenge in the 21st century. In: SmART Cities and Waste Research Workshop, 06 April 2017, London, United Kingdom. . [Conference or Workshop Item]

Final accepted version (with author's formatting)

This version is available at: <https://eprints.mdx.ac.uk/21833/>

Copyright:

Middlesex University Research Repository makes the University's research available electronically.

Copyright and moral rights to this work are retained by the author and/or other copyright owners unless otherwise stated. The work is supplied on the understanding that any use for commercial gain is strictly forbidden. A copy may be downloaded for personal, non-commercial, research or study without prior permission and without charge.

Works, including theses and research projects, may not be reproduced in any format or medium, or extensive quotations taken from them, or their content changed in any way, without first obtaining permission in writing from the copyright holder(s). They may not be sold or exploited commercially in any format or medium without the prior written permission of the copyright holder(s).

Full bibliographic details must be given when referring to, or quoting from full items including the author's name, the title of the work, publication details where relevant (place, publisher, date), pagination, and for theses or dissertations the awarding institution, the degree type awarded, and the date of the award.

If you believe that any material held in the repository infringes copyright law, please contact the Repository Team at Middlesex University via the following email address:

eprints@mdx.ac.uk

The item will be removed from the repository while any claim is being investigated.

See also repository copyright: re-use policy: <http://eprints.mdx.ac.uk/policies.html#copy>



SmART Cities and Waste Research
Workshop: *Urban Waste Streams & Flows*

Electronic waste – an emerging global environmental and health challenge in the 21st century


Diane Purchase



Out with the old ...



E-waste generated per capita in 2014



Source: United Nations University-Institute for the Advanced Study of Sustainability. 2015

Challenges of E-waste




- Chemical nature and global distribution?
- Environmental and health impact?
- Risk management?
- Management strategy?



**Recommendations for
management approach**

The International Union of Pure & Applied Chemistry E-waste Project



Example - Elements typically found in a mobile phone

Periodic Table of the Elements

The periodic table is color-coded by groups:

- Alkali Metal:** Group 1 (H, Li, Na, K, Rb, Cs, Fr)
- Alkaline Earth:** Group 2 (Be, Mg, Ca, Sr, Ba, Ra)
- Transition Metal:** Groups 3-10 (Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Kr, Rb, Sr, Y, Zr, Nb, Mo, Tc, Ru, Rh, Pd, Ag, Cd, In, Sn, Sb, Te, I, Xe, Cs, Ba, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Fr, Ra, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No, Lr)
- Semimetal:** Groups 11-12 (Al, Ga, In, Tl, Pb, Bi, Po, At, Rn)
- Nonmetal:** Groups 13-16 (B, C, N, O, F, Ne, Si, Ge, Sn, Pb, As, Sb, Bi, Po, At, Rn)
- Basic Metal:** Groups 17-18 (Li, Be, B, C, N, O, F, Ne, Na, Mg, Al, Si, P, S, Cl, Ar, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Kr, Rb, Sr, Y, Zr, Nb, Mo, Tc, Ru, Rh, Pd, Ag, Cd, In, Sn, Sb, Te, I, Xe, Cs, Ba, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Fr, Ra, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No, Lr)
- Halogen:** Groups 19-20 (H, He, Li, Be, B, C, N, O, F, Ne, Na, Mg, Al, Si, P, S, Cl, Ar, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Kr, Rb, Sr, Y, Zr, Nb, Mo, Tc, Ru, Rh, Pd, Ag, Cd, In, Sn, Sb, Te, I, Xe, Cs, Ba, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Fr, Ra, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No, Lr)
- Noble Gas:** Groups 21-22 (H, He, Li, Be, B, C, N, O, F, Ne, Na, Mg, Al, Si, P, S, Cl, Ar, K, Ca, Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Kr, Rb, Sr, Y, Zr, Nb, Mo, Tc, Ru, Rh, Pd, Ag, Cd, In, Sn, Sb, Te, I, Xe, Cs, Ba, La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Fr, Ra, Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No, Lr)
- Lanthanide:** Groups 23-24 (La, Ce, Pr, Nd, Pm, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu)
- Actinide:** Groups 25-26 (Ac, Th, Pa, U, Np, Pu, Am, Cm, Bk, Cf, Es, Fm, Md, No, Lr)

© 2013 Todd Helmenstine
chemistry.about.com
sciencenotes.org

This periodic table does not take into account in what quantities and concentrations the elements have been used (only the smallest impurities are excluded). Neither does it take into account the form the element in question has been used in.

Examples of hazardous chemicals in E-waste

Heavy metals and metalloids

- e.g. barium, mercury, aluminium, chromium, copper
- e.g. arsenic

Brominated flame retardants

- e.g. hexabromocyclododecane (HBCDD), polybrominated diphenyl ethers (PBDE)

Plastics

- e.g. bisphenol-A, polychlorinated biphenyls (PVC)

Lead Glass

- e.g. Lead

Treatment of E-waste




Dismantling
and pre-
processing


Recycling of
metal contained
E-waste

Recycling of E-
waste plastics


Example - Trade chain practice in India



Conceptual model of a typical E-waste recycling site in Nigeria



Potential health impacts




Source: <http://ewise.co.nz/the-impact-of-ewaste/>

Key legal framework

- **Basel Convention**
- **Waste Shipment Regulation (WSR)**
- **Restriction of Hazardous Substances Directive (RoHS)**
- **Extended Producer Responsibility (EPR)**
- **Directive on Waste Electrical/Electronic Equipment (WEEE)**

WEEE directive in EU "take-back" regulation



POM (3yrs) = put on market during previous 3 years


Challenges in the implementation of regulations and policy

- **Different implementation**
 - harmonized policy ≠ harmonized implementation
 - temporal & cultural dimension about waste
 - political unwillingness to regulate corporations too strictly
- **Difficult implementation**
 - Finding illegal trade = needle in haystack (risk assessment)
 - Requires expertise (not present with all agencies)
 - Limited resources
 - Information with different agencies
 - Different agencies with different goals
- **Prosecution & Sentencing:**
 - demanding investigative work
 - slow prosecution
 - low fines
- **Transnational trade: different jurisdictions, awareness, economics**

The known legal flow of E-waste

UNFAIR FLOW

Most electronic waste from developed countries ends up in poor nations that lack regulation. China processed around 70% of the world's e-waste in 2012; the rest goes to India and other countries in eastern Asia and Africa, including Nigeria.



- 1 The United States produces the largest total amount of e-waste per year, at 7.1 million tonnes.
- 2 Norway generates the most e-waste per person, at 28.3 kg per capita.
- 3 African nations produce little e-waste, with Equatorial Guinea creating most (10.8 kg per capita).
- 4 China ranks second for total e-waste generation (6 million tonnes), but low relative to its population size (4.4 kg per capita).

... and the illegal dark trade



Source: <http://www.sustainelectronics.illinois.edu/policy/international.cfm> [accessed 7th September, 2016]

E-waste as a criminogenic market?

■ Case of Ghana:

- Different priorities/concerns (no legislation on e-waste)
- Massive informal collection & recycling
- Local consumption of new/second hand products

'You can make money by "recycling" e-waste in poorer environmental and social conditions, since this provides you the precious metals with lower labour costs' (Corporate respondent 13).

Bisschop, L. (2015). Governance of the illegal trade in e-waste and tropical timber: case studies on transnational environmental crime. Green Criminology Series, Ashgate Publishing. (ISBN 978-1-4724-1540-0)



There's more to governance than government

- Cross border circulation is a key for a successful business
- Harmonized rules are needed to facilitate economically sustainable solutions
- The differences in waste from various product groups should be respected
- Rules should be well defined and justified and not be used as trade barriers
- A formal global protocol on E-waste trading
- Strengthen domestic regulations
- Encourage transfer of knowledge on processing and recycling technology from developed to developing countries
- Producers' and Consumers' responsibilities

Making E-waste management sustainable


- Less wasteful consumption
- Circular economy
- Cleaner production & smaller material footprint
- Reverse logistics credits
- Life cycle analysis to identify environmentally sound end-of-life option
- Better treatment and disposals
- e-waste valorization

Example: Improve recycling behaviour-mobile phones



Source: Ormala E. 2015

Examples of E-waste recycling costs



Source: Ormala E. 2015

Examples - Advances in material science for cleaner production

- Synthesis of heteroarchitectures formed by graphene oxide, conductive polymers and manganese dioxide for low cost high performance supercapacitors
- High performance supercapacitors - polypyrrole nanotubes coated with Ni(OH)_2 for
- Hybrid Materials for Hybrid Energy Storage – supercapacitor and batteries in one

Examples - Advances in recycling technologies for metals recovery

Recycling technology	State of recovery metals	Species and effect of recovery metals	Advantages of environmental and technological aspect
Pyrometallurgy	pure solid metals	almost all metals; high recovery rate	totally-commercial; owing some dust chamber and exhaust gas treatment plant
Mild extraction	solution	almost all metals; recovery rate related to the reagents and reaction condition	low toxicity; simple and easy accessibility; relative low environment damage
Biometallurgy	Solution	only for a few specific metals; considerable recovery rate for Cu, Zn, Au etc	environment-friendly; low cost of investment
Electrochemical	pure solid metals	only for specific metals; high recovery rate	high recovery efficiency; low cost of investment; mature technology
Supercritical	solid mixture of metals	almost all metals; high recovery rate	high recovery efficiency; low cost of investment; low environment damage
Vacuum metallurgy	solid single metal	only for high vapor pressure metals; high recovery rate	environment-friendly; short technological process

Source: Ermolin M.S. and Fedotov P.S. 2017


‘There is no such thing as waste ...’



<http://www.electronicsspecifier.com/around-the-industry/do-you-have-a-goldmine-in-your-pocket>

- Also contains rare earth minerals
- From cathode-ray-tube funnel glass to zeolites
- Indium from LCD display
- From old printed circuit boards to Cu-Sn nanoparticles

Conclusion



The IUPAC e-waste task group

Belgium

Dr Lieselot Bisschop (Ghent University)

Egypt

Prof Nadia G Kandile (Ain Shams University)

Finland

Prof Mari Lunström, Prof Erkki Ormala, Dr Ben Wilson (Aalto University)

Germany

Dr Heinz Ruedel (Fraunhofer IME)

Hong Kong

Prof Ming-Hung Wong (Education University of Hong Kong)

India

Prof Debashish Chatterjee (University of Kalyani), **Ankit Kapasi** (Sustainable Environmental Solutions), **Dr Kirankumar Surati** (Sardar Patel University)

Ireland

Dr Fiona Walsh (Maynooth University)

Israel

Dr Yehuda Shevah (Independent Consultant Engineer)

Nigeria

Dr Oluseun Elizabeth Popoola (Yaba College of Technology)

Norway

Dr Knut Breivik, Dr Abbasi Golnoush (Norwegian Institute of Air Research)

Russia

Dr Mikhail S. Ermolin, Dr Petr Fedotov (Russian Academy of Sciences)

Spain

Prof Rafael Luque (Universidad de Córdoba)

South Africa

Prof Liliana Mammino (University of Venda)

Sweden

Prof Christian Ekberg, Dr Teodora Retegan (Chalmers University of Technology)

Thailand

Dr Nantika Soonthornchaikul (Thammasat University)

UK

Dr Avtar Matha (University of York), **Prof Hemda Garelick, Dr Diane Purchase (CHAIR)** (Middlesex University)

USA

Dr Bradley W Miller (US EPA)

Uruguay

Dr Nelly Mañay (Universidad de la República)

